

Last update 23 Feb 2006

Marine References for Kongsfjorden

Aguilera J, Bischof K, Karsten U, Hanelt D and Wiencke C (2002a) Seasonal variation in ecophysiological patterns in macroalgae from an Arctic fjord. II. Pigment accumulation and biochemical defence systems against high light stress. *Marine Biology* 140: 1087-1095

Aguilera J, Dummermuth A, Karsten U, Schriek R and Wiencke C (2002b) Enzymatic defences against photooxidative stress induced by ultraviolet radiation in Arctic marine macroalgae. *Polar Biology* 25: 432-441

Aguilera J, Karsten U, Lippert H, Vogele B, Philipp E, Hanelt D and Wiencke C (1999) Effects of solar radiation on growth, photosynthesis and respiration of marine macroalgae from the Arctic. *Marine Ecology-Progress Series* 191: 109-119

Aksnes DL, Aure J, Kaartvedt S, Magnesen T and Richard J (1989) Significance of advection for the carrying capacities of fjord populations. *Marine Ecology-Progress Series* 50: 263-274

Andersen M, Hjelset AM, Gjertz I, Lydersen C and Gulliksen B (1999) Growth, age at sexual maturity and condition in bearded seals (*Erignathus barbatus*) from Svalbard, Norway. *Polar Biology* 21: 179-185

Andersson O, Linder CE, Olsson M, Reutergardh L, Uvemo UB and Wideqvist U (1988) Spatial differences and temporal trends of organochlorine compounds in biota from the Northwestern Hemisphere. *Archives of Environmental Contamination and Toxicology* 17: 755-765

Argentini S, Viola A, Mastrantonio G, Maurizi A, Giorgiadis T and Nardino M (1999) Dynamics of the atmospheric boundary layer at Ny Ålesund. Proceeding of the VIII Workshop on Arctic Atmosphere. Bologna, Italy

Arndt C, Berge J and Brandt A (2005a) Mouthpart-Atlas of Arctic sympagic amphipods-trophic niche separation based on mouth part feeding morphology and feeding ecology. *Journal of Crustacean Biology* 25: 401-412

Arndt C, Fernandez-Leborans G, Seuthe L, Berge J and Gulliksen B (2005b) Ciliated epibionts on the Arctic sympagic amphipod *Gammarus wilkitzkii* as indicators for sympago-benthic coupling. *Marine Biology* 147: 643-652

Arnosti C, Jorgensen BB, Sagemann J and Thamdrup B (1998) Temperature dependence of microbial degradation of organic matter in marine sediments: polysaccharide hydrolysis, oxygen consumption, and sulfate reduction. *Marine Ecology-Progress Series* 165: 59-70

Aschan M and Sunnanå K (1997) Evaluation of the Norwegian shrimp survey conducted in the Barents Sea and Svalbard area 1980-1997. ICES CM 1997/Y07

Bang K, Jenssen BM, Lydersen C and Skaare JU (2001) Organochlorine burdens in blood of ringed and bearded seals from north-western Svalbard. *Chemosphere* 44: 193-203

Basedow SL, Eiane K, Tverberg V and Spindler M (2004) Advection of zooplankton in an Arctic fjord (Kongsfjorden, Svalbard). *Estuarine, Coastal and Shelf Science* 60: 113-124

Bech C, Martini S, Brent R and Rasmussen J (1984) Thermoregulation in newly hatched black-legged kittiwakes. *Condor* 86: 339-341

Beine HJ, Argentini S, Maurizi A, Mastrantonio G and Viola A (2001) The local wind field at Ny-Ålesund and the Zeppelin mountain at Svalbard. *Meteorology and Atmospheric Physics* 78: 107-113

Berge J, Johnsen F, Nilsen F, Gulliksen B and Slagstad D (2005) Ocean temperature oscillations enable reappearance of blue mussels *Mytilus edulis* in Svalbard after a 1000 year absence. *Marine Ecological Progress Series* 303: 167-175

Beszczyńska-Möller A, Wesawski JM, Walczowski W and Zajaczkowski M (1997) Estimation of glacial meltwater discharges into Svalbard coastal water. *Oceanologica* 39: 289-297

Bignert A, Olsson M, Bergqvist PA, Bergek S, Rappe C, Dewit C and Jansson B (1989) Polychlorinated dibenzo-para-dioxins (Pcdd) and dibenzo-furans (Pcdf) in seal blubber. *Chemosphere* 19: 551-556

Bischof K, Hanelt D, Aguilera J, Karsten U, Voegelé B, Sawall T and Wiencke C (2002) Seasonal variation in ecophysiological patterns in macroalgae from an Arctic fjord. I. Sensitivity of photosynthesis to ultraviolet radiation. *Marine Biology* 140: 1097-1106

Bischof K, Hanelt D, Tug H, Karsten U, Brouwer PEM and Wiencke C (1998) Acclimation of brown algal photosynthesis to ultraviolet radiation in Arctic coastal waters (Spitsbergen, Norway). *Polar Biology* 20: 388-395

Bischof K, Hanelt D and Wiencke C (1999) Acclimation of maximal quantum yield of photosynthesis in the brown alga *Alaria esculenta* under high light and UV radiation. *Plant Biology* 1: 435-444

Bischof K, Hanelt D and Wiencke C (2000) UV-effects on photosynthesis and related enzyme reactions of marine macroalgae. *Planta* 211: 555-562

Bischof K, Hanelt D and Wiencke C (2001) UV-radiation and Arctic marine macroalgae. In: Hessen DO (ed) UV-radiation and Arctic ecosystem. *Springer*, Berlin, Heidelberg, New York,

Bjorn TH and Erikstad KE (1994) Patterns of intraspecific nest parasitism in the high Arctic common eider (*Somateria mollissima borealis*). *Canadian Journal of Zoology-Revue Canadienne de Zoologie* 72: 1027-1034

Brekke B and Gabrielsen GW (1994) Assimilation efficiency of adult kittiwakes and brunnich guillemots fed capelin and Arctic cod. *Polar Biology* 14: 279-284

Brent R, Rasmussen JG, Bech C and Martini S (1983) Temperature-dependence of ventilation and O₂ extraction in the kittiwake, *Rissa tridactyla*. *Experientia* 39: 1092-1093

Brouwer PEM, Bischof K, Hanelt D and Kromkamp J (2000) Photosynthesis of two Arctic macroalgae under different ambient radiation levels and their sensitivity to enhanced UV radiation. *Polar Biology* 23: 257-264

Böer M, Gannefors C, Kattner G, Graeve M, Hop H and Falk-Petersen S (2005) The Arctic pteropod *Clione limacina*: seasonal lipid dynamics and life-strategy. *Marine Biology* 147: 707-717

Böer M, Graeve M and Kattner G (2006) Impact of feeding and starvation on the lipid metabolism of the Arctic pteropod *Clione limacina*. *Journal of Experimental Marine Biology and Ecology* 328: 98-112

Conover RJ (1988) Comparative life histories in the genera *Calanus* and *Neocalanus* in high-latitudes of the northern hemisphere. *Hydrobiologia* 167: 127-142

Cottier FR, MacLachlan S and Howe J (2005a) Rapid shifts in Arctic marine climate: observations and archives in a Spitsbergen fjord. *Ocean Challenge* 14: 16-23

Cottier FR, Tverberg V, Inall M, Svendsen H, Nilsen F and Griffiths C (2005b) Watermass modification in an Arctic fjord through cross-shelf exchange: The seasonal hydrography of Kongsfjorden, Svalbard. *Journal of Geophysical Research* 110: C12005 doi:10.1029/2004JC002757

Cruwyz E, Robinson K and Davis NR (1994) Microprobe analysis of trace metals in seal teeth from Svalbard, Greenland and South Georgia. *Polar Research* 30: 49-52

Daelemans FF, Mehlum F, Lydersen C and Schepens PJC (1993) Mono-ortho and non-ortho substituted PCBs in Arctic ringed seal (*Phoca hispida*) from the Svalbard area - analysis and determination of their toxic threat. *Chemosphere* 27: 429-437

Daelemans FF, Mehlum F and Schepens PJC (1992) Polychlorinated-Biphenyls in 2 species of Arctic seabirds from the Svalbard area. *Bulletin of Environmental Contamination and Toxicology* 48: 828-834

Dahl TM, Lydersen C, Kovacs KM, Falk-Petersen S, Sargent J, Gjertz I and Gulliksen B (2000) Fatty acid composition of the blubber in white whales (*Delphinapterus leucas*). *Polar Biology* 23: 401-409

Dietz R, Ansen CT, Have P and Heidejorgensen MP (1989) Clue to seal epizootic. *Nature* 338: 627-627

Dietz R, Paludan-Müller P, Agger CT and Nielsen CO (1998) Cadmium, mercury, zinc and selenium in ringed seals (*Phoca hispida*) from Greenland and Svalbard. In: Heide-Jørgensen MP, Lydersen C (eds) Ringed seals in the north Atlantic. *NAMCO Science Publication*,

Digby PSB (1961) The vertical distribution and movements of marine plankton under midnight-sun conditions in Spitsbergen. *Journal of Animal Ecology* 30: 9-25

Dowdeswell JA and Forsberg CF (1992) The size and frequency of icebergs and bergy bits derived from tidewater glaciers in Kongsfjorden, northwest Spitsbergen. *Polar Research* 11: 81-91

Drengstig A, Fevolden SE, Galand PE and Aschan MM (2000) Population structure of the deep-sea shrimp (*Pandalus borealis*) in the north-east Atlantic based on allozyme variation. *Aquatic Living Resources* 13: 121-128

Eilertsen HC, Taasen JP and Weslawski JM (1989) Phytoplankton studies in the fjords of west Spitzbergen - Physical environment and production in spring and summer. *Journal of Plankton Research* 11: 1245-1260

Ellis HI and Gabrielsen GW (2001) Energetics of free-ranging seabirds. In: Burger J (ed) *Biology of marine birds*. *CRS Press*, pp 359-407

Elverhøi A, Liestøl O and Nagy J (1980) Glacial erosion, sedimentation and microfauna in the inner part of Kongsfjorden, Spitsbergen. *Norsk Polarinstitutt Skrifter* 172, Tromsø, Norway

Falk-Petersen IB, Frivoll V, Gulliksen B, Haug T and Vader W (1988) Age/size relation and food of two snailfishes, *Liparis gibbus* and *Careproctus reinhardii* (Teleostei Liparidae) from Spitsbergen Coastal Waters. *Polar Biology* 8: 353-358

Falk-Petersen S, Dahl T, Scott CL, Sargent JR, Gulliksen B, Kwasniewski S, Hop H and Millar RM (2002) Lipid biomarkers and trophic linkages between ctenophores and copepods in Svalbard waters. *Marine Ecology-Progress Series* 227: 187-194

Falk-Petersen S, Sargent JR, Kwasniewski S, Gulliksen B and Millar RM (2001) Lipids and fatty acids in *Clione limacina* and *Limacina helicina* in Svalbard waters and the Arctic Ocean: trophic implications. *Polar Biology* 24: 163-170

Falk K, Pedersen CE and Kampp K (2000) Measurements of diving depth in Dovekies (*Alle alle*). *Auk* 117: 522-525

Fant ML, Nyman M, Helle E and Rudback E (2001) Mercury, cadmium, lead and selenium in ringed seals (*Phoca hirsipida*) from the Baltic Sea and from Svalbard. *Environmental Pollution* 111: 493-501

Fetzer I, Lonne OJ and Pearson T (2002) The distribution of juvenile benthic invertebrates in an Arctic glacial fjord. *Polar Biology* 25: 303-315

Gabrielsen GW (1985) Free and forced diving in ducks - habituation of the initial dive response. *Acta Physiologica Scandinavica* 123: 67-72

Gabrielsen GW (1994) Energy expenditure in Arctic seabirds. Dr. Philos. Thesis. University of Tromsø, Tromsø

Gabrielsen GW, Klaassen M and Mehlum F (1992) Energetics of black legged kittiwake *Rissa tridactyla* chicks. *Ardea* 80: 29-40

Gabrielsen GW, Mehlum F and Karlsen HE (1988) Thermoregulation in 4 species of Arctic seabirds. *Environmental Physiology* 157: 703-708

Gabrielsen GW, Mehlum F and Nagy KA (1987) Daily energy-expenditure and energy-utilization of free-ranging black-legged kittiwakes. *Condor* 89: 126-132

Gabrielsen GW, Taylor JRE, Konarzewski M and Mehlum F (1991) Field and laboratory metabolism and thermoregulation in dovekies (*Alle alle*). *Auk* 108: 71-78

Gannefors C, Boer M, Kattner G, Graeve M, Eiane K, Gulliksen B, Hop H and Falk-Petersen S (2005) The Arctic sea butterfly *Limacina helicina*: lipids and life strategy. *Marine Biology* 147: 169-177

Gerland S, Haas C, Nicolaus M and Winther J-G (2004) Seasonal development of structure and optical surface properties of fast ice in Kongsfjorden, Svalbard. In: Wiencke C (ed) Reports on Polar and Marine Research. Alfred Wegner Institute for Polar and Marine Research, Bremerhaven, Germany

Gerland S, Liston GE, Winther JG, Orbaek JB and Ivanov BV (2000) Attenuation of solar radiation in Arctic snow: field observations and modelling. *Annals of Glaciology. Int Glaciological Soc*, Cambridge, pp 364-368

Gerland S, Winther JG, Orbaek JB, Liston GE, Oritsland NA, Blanco A and Ivanov B (1999a) Physical and optical properties of snow covering Arctic tundra on Svalbard. *Hydrological Processes* 13: 2331-2343

Gerland S, Winther JG, Ørbæk JB and Ivanov BV (1999b) Physical properties, spectral reflectance and thickness development of first year ice in Kongsfjorden, Svalbard. *Polar Research* 18: 275-282

Gjertz I and Borset A (1992) Pupping in the most northerly harbor seal (*Phoca vitulina*). *Marine Mammal Science* 8: 103-109

Gjertz I and Børseth A (1992) Pupping in the most northernly harbor seal (*Phoca vitulina*). *Marine Mammal Science* 8: 103-109

Gjertz I, Kovacs KM, Lydersen C and Wiig O (2000a) Movements and diving of adult ringed seals (*Phoca hispida*) in Svalbard. *Polar Biology* 23: 651-656

Gjertz I, Kovacs KM, Lydersen C and Wiig O (2000b) Movements and diving of bearded seal (*Erignathus barbatus*) mothers and pups during lactation and post-weaning. *Polar Biology* 23: 559-566

Gjertz I and Lydersen C (1986) The ringed seal (*Phoca hispida*) spring diet in Northwestern Spitsbergen, Svalbard. *Polar Research* 4: 53-56

Gjertz I, Lydersen C and Wiig O (2001) Distribution and diving of harbour seals (*Phoca vitulina*) in Svalbard. *Polar Biology* 24: 209-214

Gjertz I and Wiig O (1994) Past and present distribution of walruses in Svalbard. *Arctic* 47: 34-42

Gjertz I and Wiig O (1995) The number of walruses (*Odobenus rosmarus*) in Svalbard in summer. *Polar Biology* 15: 527-530

Glud RN, Holby O, Hoffmann F and Canfield DE (1998) Benthic mineralization and exchange in Arctic sediments (Svalbard, Norway). *Marine Ecology-Progress Series* 173: 237-251

Gontar VI, Hop H and Voronkov AY (2001) Diversity and distribution of Bryozoa in Kongsfjorden, Svalbard. *Polish Polar Research* 22: 187-204

- Grossi SM, Kottmeier ST, Moe RL, Taylor GT and Sullivan CW (1987) Sea ice microbial communities: 6. Growth and primary production in bottom ice under graded snow cover. *Marine Ecology-Progress Series* 35: 153-164
- Gulliksen B, Palerud R, Brattegard T and Sneli J (1999) Distribution of marine benthic macroorganism at Svalbard (including Bear Island) and Jan Mayen. Research report for DN 1994-4. Directorate for Nature Management, Trondhjem, Norway
- Hagen JO and Lefauconnier B (1995) Reconstructed runoff from the high Arctic basin Bayelva based on mass-balance measurements. *Nordic Hydrology* 26: 285-296
- Halldal P and Halldal K (1971) Phytoplankton, chlorophyll and submarine light conditions in Kings Bay, Spitsbergen. *Norwegian Journal of Botany* 20: 99-108
- Hammill MO, Kovacs KM and Lydersen C (1994) Local movements by nursing bearded seal (*Erignathus barbatus*) pups in Kongsfjorden, Svalbard. *Polar Biology* 14: 569-570
- Hammill MO, Lydersen C, Ryg M and Smith TG (1991) Lactation in the ringed seal (*Phoca hispida*). *Canadian Journal of Fisheries and Aquatic Sciences* 48: 2471-2476
- Hanelt D (1998) Capability of dynamic photoinhibition in Arctic macroalgae is related to their depth distribution. *Marine Biology* 131: 361-369
- Hanelt D, Tug H, Bischof K, Gross C, Lippert H, Sawall T and Wiencke C (2001) Light regime in an Arctic fiord: a study related to stratospheric ozone depletion as a basis for determination of UV effects on algal growth. *Marine Biology* 138: 649-658
- Hanelt D, Wiencke C and Nultsch W (1997) Influence of UV radiation on the photosynthesis of Arctic macroalgae in the field. *Journal of photochemistry and photobiology B-Biology* 38: 40-47
- Hansen-Bauer I and Førland EJ (1998) Monthly precipitation and temperature at Svalbard modelled by mean sea level pressure. DNMI-Report 9/98 Klima. DNMI
- Hansen-Bauer I, Kristensen Solås M and Steffensen EL (1990) The Climate of Spitsbergen. DNMI Report 39/90 Klima. DNMI
- Hansen HØ and Aschan M (2001) Growth, size- and age at maturity of shrimp, *Pandalus borealis*, at Svalbard related to environmental parameters. *Journal of Northwest Atlantic Fishery Science* 27: 1-10
- Hardy MH, Roff E, Smith TG and Ryg M (1991) Facial skin glands of ringed and gray seals, and their possible function as odoriferous organs. *Canadian Journal of Zoology-Revue Canadienne de Zoologie* 69: 189-200

Hasle GR and Heimdal BR (1998) The net phytoplankton in Kongsfjorden, Svalbard, July 1988, with general remarks on species composition of Arctic phytoplankton. *Polar Research* 17: 31-52

Hasle GR and von Quillefeldt CH (1996) Marine microalgae. In: Elvebakk A, Prestrud P (eds) A catalogue of Svalbard plants and fungi, algae and cyanobacteria 198. Norsk Polarinstitut Skrifter, Tromsø, Norway

Haug T and Gulliksen B (1982) Size, age, occurrence, growth, and food of Greenland halibut, *Reinhardtius hippoglossoides* (Walbaum) in coastal waters of western Spitzbergen. *Sarsia* 67: 293-297

Henriksen E, Gabrielsen GW and Skaare JU (1998) Validation of use of blood sample to assess tissue concentrations of organochlorines in glaucous gull, *Larus hyperboreus*. *Chemosphere* 37: 2627-2643

Herz K and Andreas G (1966a) Investigations concerning the ecology of the periglacial active layer in the region of Kongsfjorden (Western Spitsbergen). *Petermanns Geographische Mitteilungen* 110: 260-272

Herz K and Andreas G (1966b) Investigations on the morphology of the periglacial active layer in Kongsfjorden region (Western Spitsbergen). *Petermanns Geographische Mitteilungen* 110: 190-198

Hjelset AM, Andersen M, Gjertz I, Lydersen C and Gulliksen B (1999) Feeding habits of bearded seals (*Erignathus barbatus*) from the Svalbard area, Norway. *Polar Biology* 21: 186-193

Holte B, Dahle S, Gulliksen B and Naes K (1996) Some macrofaunal effects of local pollution and glacier-induced sedimentation, with indicative chemical analyses, in the sediments of two Arctic fjords. *Polar Biology* 16: 549-557

Holte B and Gulliksen B (1998) Common macrofaunal dominant species in the sediments of some north Norwegian and Svalbard glacial fjords. *Polar Biology* 19: 375-382

Hop H, Pearson T, Hegseth EN, Kovacs KM, Wiencke C, Kwasniewski S, Eiane K, Mehlum F, Gulliksen B, Wlodarska-Kowalezuk M, Lydersen C, Weslawski JM, Cochrane S, Gabrielsen GW, Leakey RJG, Lonne OJ, Zajaczkowski M, Falk-Petersen S, Kendall M, Wangberg SA, Bischof K, Voronkov AY, Kovaltchouk NA, Wiktor J, Poltermann M, di Prisco G, Papucci C and Gerland S (2002) The marine ecosystem of Kongsfjorden, Svalbard. *Polar Research* 21: 167-208

Hop H, Sagerup K, Schlabach M and Gabrielsen GW (2001) Persistent organic pollutants in marine macro-benthos near urban settlement in Svalbard, Longyearbyen, Pyramiden, Barentsburg and Ny-Ålesund. Norsk Polarinstitut Internrapport 8. Norsk Polarinstitut, Tromsø, Norway

Ihalainen E and Storemark K (2000) Diet of polar cod *Boreogadus saida* from Svalbard coastal water. In: Lønne OJ (ed) AB 202 Marine Arctic Biology, 2000 Cruise report. University center in Svalbard, Longyearbyen

Jansson B, Andersson R, Asplund L, Litzen K, Nylund K, Sellstrom U, Uvemo UB, Wahlberg C, Wideqvist U, Odsjo T and Olsson M (1993) Chlorinated and brominated persistent organic-compounds in biological samples from the environment. *Environmental Toxicology and Chemistry* 12: 1163-1174

Jørgensen C, Lydersen C, Brix O and Kovacs KM (2001) Diving development in nursing harbour seal pups. *Journal of Experimental Biology* 204: 3993-4004

Jørgensen LL and Gulliksen B (2001) Rocky bottom fauna in Arctic Kongsfjord (Svalbard) studied by means of suction sampling and photography. *Polar Biology* 24: 113-121

Kakela R, Ackman RG and Hyvarinen H (1995) Very long-chain polyunsaturated fatty-acids in the blubber of ringed seals (*Phoca hispida* sp.) from Lake Saimaa, Lake Ladoga, The Baltic Sea, and Spitsbergen. *Lipids* 30: 725-731

Kakela R and Hyvarinen H (1996) Site-specific fatty acid composition in adipose tissues of several northern aquatic and terrestrial mammals. *Comparative Biochemistry and Physiology B-Biochemistry & Molecular Biology* 115: 501-514

Kakela R and Hyvarinen H (1998) Composition of polyunsaturated fatty acids in the liver of freshwater and marine ringed seals (*Phoca hispida* spp.) differs largely due to the diet of the seals. *Comparative Biochemistry and Physiology B-Biochemistry & Molecular Biology* 120: 231-237

Kakela R, Hyvarinen H and Kakela A (1997) Vitamins A(1) (retinol), A(2) (3,4-didehydroretinol) and E (alpha-tocopherol) in the liver and blubber of lacustrine and marine ringed seals (*Phoca hispida* sp.). *Comparative Biochemistry and Physiology B-Biochemistry & Molecular Biology* 116: 27-33

Kannan K, Koistinen J, Beckmen K, Evans T, Gorzelany JF, Hansen KJ, Jones PD, Helle E, Nyman M and Giesy JP (2001) Accumulation of perfluorooctane sulfonate in marine mammals. *Environmental Science & Technology* 35: 1593-1598

Karnovsky NJ, Kwasniewski S, Weslawski JM, Walkusz W and Beszczynska-Moller A (2003) Foraging behavior of little auks in a heterogeneous environment. *Marine Ecology-Progress Series* 253: 289-303

Karsten U, Bischof K, Hanelt D, Tug H and Wiencke C (1999) The effect of ultraviolet radiation on photosynthesis and ultraviolet-absorbing substances in the endemic Arctic macroalga *Devaleraea ramentacea* (Rhodophyta). *Physiologia Plantarum* 105: 58-66

- Karsten U, Bischof K and Wiencke C (2001) Photosynthetic performance of Arctic macroalgae after transplantation from deep to shallow waters. *Oceanologica* 127: 11-20
- Karsten U, Sawall T, Hanelt D, Bischof K, Figueroa FL, Flores-Moya A and Wiencke C (1998) An inventory of UV-absorbing mycosporine-like amino acids in macroalgae from polar to warm-temperate regions. *Botanica Marina* 41: 443-453
- Karsten U and Wiencke C (1999) Factors controlling the formation of UV-absorbing mycosporine-like amino acids in the marine red alga *Palmaria palmata* from Spitsbergen (Norway). *Journal of Plant Physiology* 155: 407-415
- Keck A (1999) West Spitsbergen fjords (Svalbard, Norwegian Arctic): Physical setting and sedimentation. In: Heiskanen AS, Lundsgaard C, Reigstad M, Olli K, Floderus S (eds) Sedimentation and recycling in aquatic ecosystems - the impact of pelagic processes and planktonic food web structure. *The Finnish Environment*, pp 58-68
- Keck A, Wiktor J, Hapter R and Nilsen R (1999) Phytoplankton assemblages related to physical gradients in an Arctic, glacier-fed fjord in summer. *ICES Journal of Marine Science* 56: 203-214
- Kendall MA (1996) Are Arctic soft sediment macrobenthic communities impoverished? *Polar Biology* 16: 393-399
- Kendall MA and Aschan M (1993) Latitudinal gradients in the structure of macrobenthic communities - a comparison of Arctic, temperate and tropical sites. *Journal of Experimental Marine Biology and Ecology* 172: 157-169
- Kern JC and Carey AG (1983) The faunal assemblage inhabiting seasonal sea ice in the nearshore Arctic ocean with emphasis on copepods. *Marine Ecology-Progress Series* 10: 159-167
- Kershaw PJ, McCubbin D and Leonard KS (1999) Continuing contamination of north Atlantic and Arctic waters by Sellafield radionuclides. *Science of The Total Environment* 238: 119-132
- Klaassen M, Bech C, Masman D and Slagsvold G (1989) Growth and energetics of Arctic tern chicks (*Sterna paradisaea*). *Auk* 106: 240-248
- Klaassen M, Slagsvold G and Bech C (1987) Metabolic-rate and thermostability in relation to availability of yolk in hatchlings of black-legged kittiwake and domestic chicken. *Auk* 104: 787-789
- Konarzewski M, Taylor JRE and Gabrielsen GW (1993) Chick energy-requirements and adult energy expenditures of dovekeys (*Alle alle*). *Auk* 110: 343-353

Kostka JE, Thamdrup B, Glud RN and Canfield DE (1999) Rates and pathways of carbon oxidation in permanently cold Arctic sediments. *Marine Ecology-Progress Series* 180: 7-21

Koszteyn J, Timofeev S, Weslawski JM and Malinga B (1995) Size structure of *Themisto abyssorum* Boeck and *Themisto libellula* (Mandt) populations in European Arctic seas. *Polar Biology* 15: 85-92

Kovacs KM (1996) The impact of human settlement on Svalbard. Akvaplan-niva Report 410.1043. Akvaplan-niva, Tromsø, Norway

Kovacs KM, Lydersen C and Gjertz I (1996) Birth-site characteristics and prenatal molting in bearded seals (*Erignathus barbatus*). *Journal of Mammalogy* 77: 1085-1091

Krafft BA (2005) Population biology of ringed seal (*Pusa hispida*) in Svalbard, Norway. PhD Thesis. Department of Aquatic BioScience, Norwegian College of Fishery Science, University of Tromsø, Tromsø

Krafft BA, Lydersen C, Kovacs KM, Gjertz I and Haug T (2000) Diving behaviour of lactating bearded seal (*Erignathus barbatus*) in the Svalbard area. *Canadian Journal of Zoology-Revue Canadienne de Zoologie* 78: 1408-1418

Kwasniewski S, Hop H, Falk-Petersen S and Pedersen G (2003) Distribution of *Calanus species* in Kongsfjorden, a glacial fjord in Svalbard. *Journal of Plankton Research* 25: 1-20

König-Langlo G and Marx B (1997) The meteorological information system at Alfred Wegener Institute. In: Lautenschlager M, Reinke M (eds) Climate and environmental database systems. Kluwer Academic Press, Norwell, USA

Laternus F (1996) Volatile halocarbons released from Arctic macroalgae. *Marine Chemistry* 55: 359-366

Lefauconnier B, Hagen JO, Orbaek JB, Melvold K and Isaksson E (1999) Glacier balance trends in the Kongsfjorden area, western Spitsbergen, Svalbard, in relation to the climate. *Polar Research* 18: 307-313

Lefauconnier B, Hagen JO and Rudant JP (1994) Flow speed and Calving rate of Kongsbreen glacier, Svalbard, using spot images. *Polar Research* 13: 59-65

Lehman SJ and Forman SL (1992) Late weichselian glacier retreat in Kongsfjorden, West Spitsbergen, Svalbard. *Quaternary Research* 37: 139-154

Leinaas HP and Ambrose WG (1999) Decision between small and large prey: reduced energy acquisition by pre-migratory purple sandpipers, *Calidris maritima*, on Svalbard. *Polar Biology* 22: 264-270

- Lippert H, Iken K, Rachor E and Wiencke C (2001) Macrofauna associated with macroalgae in the Kongsfjord (Spitsbergen). *Polar Biology* 24: 512-522
- Luckas B, Vetter W, Fischer P, Heidemann G and Plotz J (1990) Characteristic chlorinated-hydrocarbon patterns in the blubber of seals from different marine regions. *Chemosphere* 21: 13-19
- Lydersen C (1991) Monitoring ringed seal (*Phoca hispida*) activity by means of acoustic telemetry. *Canadian Journal of Zoology-Revue Canadienne de Zoologie* 69: 1178-1182
- Lydersen C (1995) Energetics of pregnancy, lactation and neonatal development in ringed seals (*Phoca hispida*). In: Blix AS (ed) Developments in marine biology 4: whales, seal, fish and mammals. *Elsevier*, Amsterdam, pp 319-327
- Lydersen C (1998) Status and biology of ringed seals (*Phoca hispida*) in Svalbard. In: Heide-Jørgensen MP, Lydersen C (eds) Ringed seals in the north Atlantic. NAMCO Science Publications
- Lydersen C and Gjertz I (1986) Studies of ringed seal, *Phoca hispida* Schreber 1775, in its breeding habitat in Kongsfjorden, Svalbard. *Polar Research* 4: 57-63
- Lydersen C and Gjertz I (1987) Population parameters of ringed seals (*Phoca hispida* Schreber, 1775) in the Svalbard area. *Canadian Journal of Zoology-Revue Canadienne de Zoologie* 65: 1021-1027
- Lydersen C and Hammill MO (1993a) Activity, milk intake and energy-consumption in free-living ringed seal (*Phoca hispida*) pups. *Journal of Comparative Physiology B-Biochemical Systemic and Environmental Physiology* 163: 433-438
- Lydersen C and Hammill MO (1993b) Diving in ringed seal (*Phoca hispida*) pups during the nursing period. *Canadian Journal of Zoology-Revue Canadienne de Zoologie* 71: 991-996
- Lydersen C, Hammill MO and Kovacs KM (1994) Diving activity in nursing bearded seal (*Erignathus barbatus*) pups. *Canadian Journal of Zoology-Revue Canadienne de Zoologie* 72: 96-103
- Lydersen C, Hammill MO and Ryg MS (1993) Differences in haul-out pattern in two nursing ring seal *Phoca hispida* pups. *Fauna norv. Ser. A* 14: 47-49
- Lydersen C and Kovacs KM (1999) Behaviour and energetics of ice-breeding, north Atlantic phocid seals during the lactation period. *Marine Ecology-Progress Series* 187: 265-281

Lydersen C and Kovacs KM (2005) Growth and population parameters of the world's northernmost harbour seals *Phoca vitulina* residing in Svalbard, Norway. *Polar Biology* 28: 156-163

Lydersen C, Kovacs KM, Hammill MO and Gjertz I (1996) Energy intake and utilisation by nursing bearded seal (*Erignathus barbatus*) pups from Svalbard, Norway. *Journal of Comparative Physiology B-Biochemical Systemic and Environmental Physiology* 166: 405-411

Lydersen C, Kovacs KM and Lydersen E (2001) Rust-colored bearded (*Erignathus barbatus*) and ringed (*Phoca hispida*) seals from Svalbard, Norway. *Journal Of Mammalogy* 82: 225-230

Lydersen C and Ryg MS (1991) Evaluating breeding habitat and population of ringed seals *Phoca hispida* in Svalbard fjords. *Polar Research* 27: 223-228

Lydersen C, Ryg MS, Hammill MO and Obrien PJ (1992) Oxygen stores and aerobic dive limit of ringed seals (*Phoca hispida*). *Canadian Journal of Zoology-Revue Canadienne de Zoologie* 70: 458-461

Lydersen C and Smith TG (1989) Avian predation on ringed seal *Phoca hispida* pups. *Polar Biology* 9: 489-490

Lønne OJ and Gulliksen B (1989) Size, age and diet of polar cod, *Boreogadus saida* (Lepechin 1773), in ice covered waters. *Polar Biology* 9: 187-191

Mehlum F and Gabrielsen GW (1993) The diet of High-Arctic seabirds in coastal and ice-covered, pelagic areas near the Svalbard Archipelago. *Polar Research* 12: 1-20

Mehlum F and Gabrielsen GW (1995) Energy expenditure and food consumption by seabird populations in the Barents Sea region. In: Skjoldal HR (ed) Ecology of fjords and coastal waters. *Elsevier*, Amsterdam, pp 457-470

Mehlum F, Gabrielsen GW and Nagy KA (1993) Energy-expenditure by black guillemots (*Cepphus grylle*) during chick-rearing. *Colonial Waterbirds* 16: 45-52

Mehlum F, Hunt GL, Decker MB and Nordlund N (1998) Hydrographic features, cetaceans and the foraging of thick-billed murres and other marine birds in the northwestern Barents Sea. *Arctic* 51: 243-252

Mehlum F, Watanuki Y and Takahashi A (2001) Diving behaviour and foraging habitats of Brunnich's guillemots (*Uria lomvia*) breeding in the High-Arctic. *Journal of Zoology* 255: 413-423

Mehrtens G (1994) Haloperoxidase activities in Arctic macroalgae. *Polar Biology* 14: 351-354

Mehrtens G and Laturus F (1997) Halogenating activity in an Arctic population of brown macroalga *Laminaria saccharina* (L) Lamour. *Polar Research* 16: 19-25

Mitchell PI, Holm E, Papucci C and McMahon CR (1997) Radioecological assessment of the consequences of contamination of Arctic waters - European Commission Research update on the ARMARA Project. 3rd International Conference on "Environmental Radioactivity in the Arctic", Tromsø, Norway

Moe KA, Skeie GM, Brude OW, Lovas CM, Nedrebo M and Weslawski JM (2000) The Svalbard intertidal zone: A concept for the use of GIS in applied oil sensitivity, vulnerability and impact analyses. *Spill Science & Technology Bulletin* 6: 187-206

Muir D, Riget F, Cleemann M, Skaare J, Kleivane L, Nakata H, Dietz R, Severinsen T and Tanabe S (2000) Circumpolar trends of PCBs and organochlorine pesticides in the Arctic marine environment inferred from levels in ringed seals. *Environmental Science & Technology* 34: 2431-2438

Nicolaus M, Haas C and Bareiss J (2003) Observations of superimposed ice formation at melt-onset on fast ice on Kongsfjorden, Svalbard. *Physics and Chemistry of The Earth* 28: 1241-1248

Norheim G (1987) Levels and interactions of heavy-metals in sea birds from Svalbard and the Antarctic. *Environmental Pollution* 47: 83-94

Oehme M (1991) Dispersion and transport paths of toxic persistent organochlorines to the Arctic - levels and consequences. *Science of The Total Environment* 106: 43-53

Oehme M, Furst P, Krüger C, Meemken HA and Groebel W (1988) Presence of polychlorinated-p-dioxins, dibenzofurans and pesticides in Arctic seals from Spitzbergen. *Chemosphere* 17: 1291-1300

Oehme M, Haugen JE and Schlabach M (1996a) Seasonal changes and relations between levels of organochlorines in Arctic ambient air: First results of an all-year-round monitoring program at Ny-Ålesund, Svalbard, Norway. *Environmental Science & Technology* 30: 2294-2304

Oehme M, Ryg M, Furst P, Furst C, Meemken HA and Groebel W (1990) Reevaluation of concentration levels of polychlorinated dibenzo-para-dioxins and dibenzofurans in Arctic seal from Spitzbergen. *Chemosphere* 21: 519-523

Oehme M, Schlabach M, Kallenborn R and Haugen JE (1996b) Sources and pathways of persistent polychlorinated pollutants to remote areas of the North Atlantic and levels in the marine food chain: A research update. *Science of The Total Environment* 186: 13-24

- Okolodkov YB, Hapter R and Semovski SV (2000) Phytoplankton in Kongsfjorden, Spitsbergen, July 1996. *Sarsia* 85: 345-352
- Olsson K, Savinova V, Gulliksen B and Dahle S (1998) Contaminants in marine sediments, Svalbard 1997. Akvaplan-niva Report 414.98.1386. Akvaplan-niva, Tromsø, Norway
- Oug E (1977) Faunal distribution close to sediment of a shallow marine-environment. *Sarsia* 63: 115-121
- Palo JU, Makinen HS, Helle E, Stenman O and Vainola R (2001) Microsatellite variation in ringed seals (*Phoca hispida*): genetic structure and history of the Baltic Sea population. *Heredity* 86: 609-617
- Papucci C, Delfanti R and Mordeglia B (1998a) Radionucleides as tracers of particle dynamic in the W-Svalbard marine environment. The Arctic and Global Change 007. NySMAC Publications
- Papucci C, Delfanti R and Mordeglia B (1998b) Radionucleides as tracers of particle dynamics in the W-Svalbard marine environment. The Arctic and global change 007. NySMAC Publication
- Papucci C, Delfanti R and Torricelli L (1999) Scavenging and sedimentation processes in the marine environment of the Svalbard Island. In: Strand P, Jølle T (eds) Proceeding of the 4th International Conference on Environmental Radioactivity in the Arctic. Edinburgh, Scotland 20-23 September 1999
- Pardue MT, Sivak JG and Kovacs KM (1993) Corneal Anatomy of Marine Mammals. *Investigative Ophthalmology & Visual Science* 34: 1014-1014
- Pearson TH (2001) Functional group ecology in soft-sediment marine benthos: The role of bioturbation. Oceanography and Marine Biology. *Taylor & Francis Ltd*, London, pp 233-267
- Polunin N (1945) Plant life in Kongsfjord, West Spitsbergen. *Journal of Ecology* 33: 82-108
- Pongratz R and Heumann KG (1999) Production of methylated mercury, lead, and cadmium by marine bacteria as a significant natural source for atmospheric heavy metals in polar regions. *Chemosphere* 39: 89-102
- Prestrud P and Gjertz I (1990) The most northerly harbor seal, *Phoca vitulina*, at Prins Karls Forland, Svalbard. *Marine Mammal Science* 6: 215-220

- Rahn H, Greene DG, Toien O, Krog J and Mehlum F (1984) Estimated laying dates and eggshell conductance of the fulmar and brunnichs murre in Spitsbergen. *Ornis Scandinavica* 15: 110-114
- Reeves RR (1998) Distribution, abundance, and biology of ringed seals (*Phoca hispida*): an overview. In: Heide-Jørgensen MP, Lydersen C (eds) Ringed seals in the north Atlantic. NAMCO Science Publications
- Rozycki O and Gruszynski M (1986) Macrofauna associated with laminarians in the coastal waters of West Spitsbergen. *Polish Polar Research* 7: 337-351
- Ryg M, Lydersen C, Knutsen LO, Bjorge A, Smith TG and Oritsland NA (1993) Scaling of insulation in seals and whales. *Journal of Zoology* 230: 193-206
- Ryg M, Lydersen C, Markussen NH, Smith TG and Oritsland NA (1990a) Estimating the blubber content of phocid seals. *Canadian Journal of Fisheries and Aquatic Sciences* 47: 1223-1227
- Ryg M and Oritsland NA (1991) Estimates of energy-expenditure and energy-consumption of ringed seals (*Phoca hispida*) throughout the year. *Polar Research* 10: 595-601
- Ryg M, Smith TG and Oritsland NA (1988) Thermal significance of the topographical distribution of blubber in ringed seals (*Phoca hispida*). *Canadian Journal of Fisheries and Aquatic Sciences* 45: 985-992
- Ryg M, Smith TG and Oritsland NA (1990b) Seasonal changes in body-mass and body-composition of ringed seals (*Phoca hispida*) on Svalbard. *Canadian Journal of Zoology-Revue Canadienne de Zoologie* 68: 470-475
- Ryg M, Smith TG and Oritsland NA (1991) Seasonal and developmental-changes of reproductive-organs of male ringed seals (*Phoca hispida*) in the Svalbard area. *Journal of Zoology* 224: 93-100
- Ryg M, Solberg Y, Lydersen C and Smith TG (1992) The scent of rutting male ringed seals (*Phoca hispida*). *Journal of Zoology* 226: 681-689
- Sagan S, Kowalczyk P and Zajaczkowski M (1993) Optical properties of waters around Svalbard and Franz Joseph Land. *Underwater light measurements* 64:
- Sahm K and Berninger UG (1998) Abundance, vertical distribution, and community structure of benthic prokaryotes from permanently cold marine sediments (Svalbard, Arctic Ocean). *Marine Ecology-Progress Series* 165: 71-80

Savinov V, Gabrielsen GW and Savinova TN (2000) Trace elements in seabirds from the Barents and Norwegian Seas 1991-1993. Norsk Polarinstitutt Internrapport 5. Norwegian Polar Institutt, Tromsø, Norway

Savinova TN, Polder A, Gabrielsen GW and Skaare JU (1995) Chlorinated hydrocarbons in seabirds from the Barents Sea area. *Science of The Total Environment* 161: 497-504

Scott CL, Kwasniewski S, Falk-Petersen S and Sargent JR (2000) Lipids and life strategies of *Calanus finmarchicus*, *Calanus glacialis* and *Calanus hyperboreus* in late autumn, Kongsfjorden, Svalbard. *Polar Biology* 23: 510-516

Scott CL, Kwasniewski S, Falk-Petersen S and Sargent JR (2002) Species differences, origins and functions of fatty alcohols and fatty acids in the wax esters and phospholipids of *Calanus hyperboreus*, *C. glacialis* and *C. finmarchicus* from Arctic waters. *Marine Ecology-Progress Series* 235: 127-134

Sendstad E (1978) Notes on the biology of an Arctic bird rock. Norsk Polarinstitutt Årbok 1977. Norwegian Polar Institute

Severinsen T, Skaare JU and Lydersen C (2000) Spatial distribution of persistent organochlorines in ringed seal (*Phoca hispida*) blubber. *Marine Environmental Research* 49: 291-302

Shears J, Theisen F, Bjørdal A and Norris S (1998) Environmental impact assessment. Ny Ålesund international research and monitoring station, Svalbard. Norsk Polarinstitutt Meddeleser 157. Norwegian Polar Institute

Skei J (1993) Environmental geochemical survey in Kongsfjorden 1991 and 1992. NIVA Report 0-90112

Slinning TK (1995) Shallow marine (0-50 m) depositional environment in a glacial Arctic fjord, Kongsfjorden NW Svalbard, elucidated by distribution of foraminifers and sediments. University of Oslo, Oslo

Smith TG, Hammill MO and Taugbol G (1991) A review of the developmental, behavioral and physiological adaptations of the ringed seal, *Phoca hispida*, to life in the Arctic winter. *Arctic* 44: 124-131

Smith TG and Lydersen C (1991a) Availability of suitable land-fast ice and predation as factors limiting ringed seal population, *Phoca hispida*, in Svalbard. In: Sakshaug E (ed) Proceeding of the Pro Mare Symposium on Polar Marine Ecology. Trondhjem, Norway 12-16 May 1990

Smith TG and Lydersen C (1991b) Availability of suitable land-fast ice and predation as factors limiting ringed seal populations, *Phoca hispida*, in Svalbard. *Polar Research* 10: 585-594

Steffensen EL (1982) The climate at Norwegian Arctic stations. DNMI-Report 5/ 82
Klima. DNMI

Stott FC (1936) The marine foods of birds in an inland fjord region in West Spitsbergen.
Journal of Animal Ecology 5: 356-369

Svendsen H, Beszczynska-Moller A, Hagen JO, Lefauconnier B, Tverberg V, Gerland S, Orbaek JB, Bischof K, Papucci C, Zajaczkowski M, Azzolini R, Bruland O, Wiencke C, Winther JG and Dallmann W (2002) The physical environment of Kongsfjorden-Krossfjorden, an Arctic fjord system in Svalbard. *Polar Research* 21: 133-166

Szymelfenig M, Kwasniewski S and Weslawski JM (1995) Intertidal Zone of Svalbard.
2. Meiobenthos density and occurrence. *Polar Biology* 15: 137-141

Thamdrup B and Fleischer S (1998) Temperature dependence of oxygen respiration, nitrogen mineralization, and nitrification in Arctic sediments. *Aquatic Microbial Ecology* 15: 191-199

Tittlemier S, Borrell A, Duffe J, Duignan PJ, Fair P, Hall A, Hoekstra P, Kovacs KM, Krahn MM, Lebeuf M, Lydersen C, Muir D, O'Hara T, Olsson M, Pranschke J, Ross P, Siebert U, Stern G, Tanabe S and Norstrom R (2002) Global distribution of halogenated dimethyl bipyrroles in marine mammal blubber. *Archives of Environmental Contamination and Toxicology* 43: 244-255

Van Parijs SM, Kovacs KM and Lydersen C (2001) Spatial and temporal distribution of vocalising male bearded seals - Implications for male mating strategies. *Behaviour* 138: 905-922

Van Parijs SM, Lydersen C and Kovacs KM (2003) Vocalizations and movements suggest alternative mating tactics in male bearded seals. *Animal Behaviour* 65: 273-283

Vollen T, Albert OT and Nilssen EM (2004) Diet composition and feeding behaviour of juvenile greenland halibut (*Reinhardtius hippoglossoides*) in the Svalbard area. *Journal of Sea Research* 51: 251-259

Walkusz W, Kwasniewski S, Dmoch K, Hop H, Zmijewska MI, Falk-Petersen S and Sicinski J (2004) Characteristic of Arctic and Antarctic mesozooplankton in the neritic zone during summer. *Polish Polar Research* 25: 275-291

Walkusz W, Storemark K, DSkau T, Gannefors C and Lundberg M (2003) Zooplankton community structure; a comparison of fjords, open water and ice stations in the Svalbard area. *Polish Polar Research* 24: 149-165

Watanuki Y, Mehlum F and Takahashi A (2001) Water temperature sampling by foraging Brunnich's Guillemots with bird-borne data loggers. *Journal of Avian Biology* 32: 189-193

Weslawski JM (1994) *Gammarus* (Crustacea, Amphipoda) from Svalbard and Franz-Josef-Land - distribution and density. *Sarsia* 79: 145-150

Weslawski JM, Hacquebord L, Stempniewicz L and Malinga M (2000a) Greenland whales and walruses in the Svalbard fjord food web before and after exploitation. *Oceanologica* 42: 37-56

Weslawski JM, Jankowski A, Kwasniewski S, Swerpel S and Ryg M (1991a) Summer hydrology and zooplankton in two Svalbard fjords. *Polish Polar Research* 12: 445-460

Weslawski JM, Koszteyn J, Kwasniewski S, Stempniewicz L and Malinga M (1999a) Summer food resources of little auk (*Alle alle*) in European Arctic seas. *Polish Polar Research* 20: 387-403

Weslawski JM, Kwasniewski S and Wiktor J (1991b) Winter In A Svalbard Fjord Ecosystem. *Arctic* 44: 115-123

Weslawski JM, Kwasniewski S, Wiktor J and Zajaczkowski M (1993a) Observation on the fast ice biota in the fjords of Spitsbergen. *Polish Polar Research* 14: 331-343

Weslawski JM and Legezynska J (1998) Glaciers caused zooplankton mortality? *Journal of Plankton Research* 20: 1233-1240

Weslawski JM, Pedersen G, Falk-Petersen S and Porazinski K (2000b) Entrapment of macrozooplankton in Arctic fjord basin, Kongsfjorden, Svalbard. *Oceanologica* 42: 57-69

Weslawski JM, Ryg M, Smith TG and Oritsland NA (1994) Diet of ringed seals (*Phoca hispida*) in a fjord of West Svalbard. *Arctic* 47: 109-114

Weslawski JM, Szymelfenig M, Zajaczkowski M and Keck A (1999b) Influence of salinity and suspended matter on benthos of an Arctic tidal flat. *ICES Journal of Marine Science* 56: 194-202

Weslawski JM, Wiktor J, Zajaczkowski M, Futsaeter G and Moe KA (1997) Vulnerability assessment of Svalbard intertidal zone for oil spills. *Estuarine Coastal and Shelf Science* 44: 33-41

Weslawski JM, Wiktor J, Zajaczkowski M and Swerpel S (1993b) Intertidal zone of Svalbard.1. Macroorganism distribution and biomass. *Polar Biology* 13: 73-79

Wiencke C, Gomez I, Pakker H, Flores-Moya A, Altamirano M, Hanelt D, Bischof K and Figueroa FL (2000) Impact of UV-radiation on viability, photosynthetic characteristics and DNA of brown algal zoospores: implications for depth zonation. *Marine Ecology-Progress Series* 197: 217-229

Wiktor J (1999) Early spring microplankton development under fast ice covered fjords of Svalbard, Arctic. *Oceanologica* 41: 51-72

Wiktor J, Weslawski JM, Wieczorek P, Zajaczkowski M and Okolodkov YB (1998) Phytoplankton and suspension in relation to freshwater in Arctic coastal marine ecosystems. *Polish Polar Research* 19: 215-230

Winther JG, Gerland S, Orbaek JB, Ivanov B, Blanco A and Boike J (1999) Spectral reflectance of melting snow in a high Arctic watershed on Svalbard: some implications for optical satellite remote sensing studies. *Hydrological Processes* 13: 2033-2049

Wlodarska-Kowalczyk M (2001) Macrobenthos along a glacier-induced disturbance gradient in an Arctic fjord (Kongsfjorden, Spitsbergen). PhD Thesis. University of Gdansk, Gdansk

Wlodarska-Kowalczyk M, Wesawski JM and Kotwicki L (1998) Spitsbergen glacial bays macrobenthos - a comparative study. *Polar Biology* 20: 66-73

Wlodarska-Kowalczyk M and Weslawski JM (2001) Impact of climate warming on Arctic benthic biodiversity: a case study of two Arctic glacial bays. *Climate Research* 18: 127-132

Wolkers J, Burkow IC, Lydersen C, Dahle S, Monshouwer M and Witkamp RF (1998a) Congener specific PCB and polychlorinated camphene (toxaphene) levels in Svalbard ringed seals (*Phoca hispida*) in relation to sex, age, condition and cytochrome P450 enzyme activity. *Science of The Total Environment* 216: 1-11

Wolkers J, Witkamp RF, Nijmeijer SM, Burkow IC, de Groene EM, Lydersen C, Dahle S and Monshouwer M (1998b) Phase I and phase II enzyme activities in Ringed seals (*Phoca hispida*): characterization of hepatic cytochrome P450 by activity patterns, inhibition studies, mRNA analyses, and western blotting. *Aquatic Toxicology* 44: 103-115

Wängberg SA, Selmer JS, Elklund NGA and gustavson K (1996) UV-B effects on Nordic marine ecosystems - a literature review. TemaNord 515

Zajaczkowski M and Legezynska J (2001) Estimation of zooplankton mortality caused by an glacier outflow. *Oceanologica* 43: 341-351

Ødegaard ØA and Krogsrud J (1981) Rabies on Svalbard: infection diagnosed in Arctic fox, reindeer and seal. *Veterinary Record* 109: 141-142

Ørbæk JB, Hisdal V and Svaasand LE (1999) Radiation climate variability in Svalbard: surface and satellite observations. *Polar Research* 18: 127-134

Aarvik FJ (1987) Termoregulatorisk utvikling hos unger av polarlomvie, *Uria lomvia*. Hovedfagsoppgave. Institutt for Biologi, Universitet i Trondheim, Trondheim